# **Imperial**



### Imperial Select Cedar Texture





Heights: 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 3" Picket Spacing: 7/16" Steel Reinforced Bottom Rail

Cap Styles (shown in Sierra Blend)





Textured Textured
New England Flat Top External



### Imperial Smooth Finish





Heights: 4', 5' & 6' (5' & 6' include midrail)

Picket Style: 7/8" x 3" Picket Spacing: 7/16" Steel Reinforced Bottom Rail

#### Cap Styles (shown in White)









# Columbia



### Columbia



#### Heights: 6'

Picket Style: 7/8" x 6" Ribbed Picket Spacing: 4-9/16"

Columbia uses Millbrook style gate Aluminum Reinforced Bottom Rail

#### Cap Styles










# **Millbrook**



White


#### Millbrook

Heights: 5' & 6' Picket Style: 7/8" x 6" Ribbed Picket Spacing: 13/16" Steel Reinforced Bottom Rail

### Cap Styles



### **Baron**



### **Baron Select Cedar Texture**

Thru-picket "good neighbor" design is equally attractive on both sides. Top rails in ColorLast® colors feature reinforcement for added strength and durability.



Heights: 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 3" Picket Spacing: 2-15/16"

Steel Reinforced Bottom Rail

Cap Styles (shown in Sierra Blend)









### **Baron Smooth Finish**



**Heights:** 4', 5' & 6' (5' & 6' include midrail) **Picket Style:** 7/8" × 3"

Picket Spacing: 2-15/16" Steel Reinforced Bottom Rail

### Cap Styles (shown in White)









# **Princeton**



### Princeton

Heights: 4', 5' & 6' (5' & 6' include midrail)

Picket Style: 7/8" x 1-1/2" Picket Spacing: 1-3/4"

Steel Reinforced Bottom Rail





Princeton with Midrail

Cap Styles (shown in White)









Flat Internal Cap not available for 6' height

39

# **Countess**



Countess



Heights: 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 1-1/2", 7/8" x 3" Picket Spacing: 2-5/16"

Steel Reinforced Bottom Rail

### Cap Styles (shown in White)










Flat Internal Cap not available for 6' height

# **Victorian**



Victorian

Heights: 4', 5' & 6' (5' & 6' include midrail) Picket Style: 7/8" x 1-1/2"

Picket Spacing: 3-5/8" Steel Reinforced Bottom Rail

Cap Styles (shown in White)






# **Manchester**



### Manchester

Thru-picket "good neighbor" design is equally attractive on both sides. Thru-picket styles are 8' wide. Heights: 3' & 4' Picket Style: 1-1/2" Square Picket Spacing: 1-9/16" Steel Reinforced Bottom Rail



### **Manchester Concave**











# **Danbury**



### Danbury Select Cedar Texture Straight/Concave

Thru-picket "good neighbor" design is equally attractive on both sides. Thru-picket styles are 8' wide.

### Heights: 4'

Picket Style: 3" Pointed Picket Picket Spacing: 2-15/16" Steel Reinforced Bottom Rail

Cap Styles (shown in Sierra Blend)



Textured Fla

44



### Danbury Smooth Finish Straight/Concave

Thru-picket "good neighbor" design

### Heights: 4'

Picket Style: 3" Pointed Picket Picket Spacing: 2-15/16" Steel Reinforced Bottom Rail

#### Cap Styles (shown in White)









# **Rothbury**



### Rothbury Straight/Concave

Thru-picket "good neighbor" design

Heights: 4'

Picket Style: 3" Dog Ear Picket Picket Spacing: 2-15/16"

Steel Reinforced Bottom Rail














# **Cape Cod**



### Cape Cod Straight/Concave

Heights: 3' & 4'

Picket Style: 3" Pointed Picket Picket Spacing: 2-7/16"















### **Post & Rail**



### 4-Rail CertaGrain Texture

Bufftech's post & rail fence provides a safe, reliable enclosure for horses and other livestock. Available with CertaGrain Texture, our post & rail fence offers the authentic look of painted wood fence with the durability, low maintenance and proven performance of Bufftech's premium vinvl desion. Rail Size (White): 1-1/2" x 5-1/2" Ribbed Rail Size (Blend Colors"): 2" x 6" Ribbed Ribbed Reinforced Rails





Textured Flat Top External

Textured New England

Cap Styles Smooth (shown in White)















#### 4-Rail Smooth Finish

Rail Size: 1-1/2" x 5-1/2" Ribbed, 2" x 6" Ribbed Ribbed Reinforced Rails







### 3-Rail CertaGrain Texture

Rail Size (White): 1-1/2" x 5-1/2" Ribbed Rail Size (Blend Colors"): 2" x 6" Ribbed Ribbed Reinforced Rails







#### 3-Rail Smooth Finish

Rail Size: 1-1/2" x 5-1/2" Ribbed, 2" x 6" Ribbed Ribbed Reinforced Rails







#### 2-Rail CertaGrain Texture

Rail Size (White): 1-1/2" x 5-1/2" Ribbed Rail Size (Blend Colors\*): 2" x 6" Ribbed Ribbed Reinforced Rails





### 2-Rail Smooth Finish

### Rail Size:

1-1/2" x 5-1/2" Ribbed Ribbed Reinforced Rails







#### Crossbuck'

Rail Size: 1-1/2" x 5-1/2" Ribbed Ribbed Reinforced Rails



# **Extruded Gates**




Chesterfield CertaGrain Texture in Arctic Blend Chesterfield Smooth Finish Concave Gate with Victorian Accent in White Chesterfield CertaGrain Texture Concave Gate with Victorian Accent in Sierra Blend Chesterfield CertaGrain Texture Convex Gate with Victorian Accent in Weathered Blend

Chesterfield Smooth Finish Convex Gate with Victorian Accent in White



Bufftech offers a wide selection of residential gates designed to match all of our fence styles, in a choice of heights and widths. Beautiful and durable, Bufftech gates deliver easy installation and great performance. Choose from unassembled gate kits or pre-assembled gates that ship ready to install.



minum frame for	fasteners prev
th gate kits and	corrosion
-assembled gates	

	Pre-Assembled Gate Widths	Gate Kit Max Width	Extension Kit Required**					
Brookline	50-1/2"	70"	Yes					
Galveston	50-1/2"	50-1/2"	No					
Chesterfield <sup>1</sup>	36-1/2" 50-1/2" 64-3/4"	70"	Yes					
Chesterfield Concave Accent	50-1/2"	na	ne					
Chesterfield Convex Accent	50-1/2"	na	na					
New Lexington	42-1/2" 50-1/2" 65-1/4"	12*	Yes					
Breezewood	50"	60"	Yes					
Imperial	50"	72*	Yes					
Millbrook / Columbia	50"	60"	Yes					
Baron	50"	72*	Yes					
Princeton	50"	72*	Yes					
Countess	50"	72"	Yes					
Victorian	50"	72*	Yes					
Manchester	50"	50"	No					
Manchester Concave	na	50"	No					
Danbury	50"	50"	No					
Cape Cod	50"	60"	Tes					
Rothbury	50"	50"	No					
2-Rail*	ne	72"	na na					
3-Rail*	ne	96"	na na					
4-Rail*	ne	96"	ne					
Crossbuck*	ne	96"	na na					

Unaccombined

#### Stainless Steel Gate Hardware

Give your gate the old-world look of wrought iron with our rugged, rust-free stainless steel gate hardware. The hardware includes hinge, strike and latch and is available in Black Pebble





### High Performance Nylon Gate Hardware Kits

Versatile and virtually maintenance free, our premium nylon gate hardware offers key lockable latches, self-closing hinges and contoured gate handles. Available in Black,











<sup>\*</sup> All Gates are rackable, except Post & Rail (2-Rail, 3-Rail and 4-Rail

<sup>&</sup>quot; For unassembled gate kits over 50" wide to achieve maximum width

### **Accessories**



### **PVC Post Caps**

Bufftech's standard PVC post caps come in a variety of styles.

#### Smooth Caps











Solar Post Caps & Lighting



"Fits both 4" x 4" and 5" x 5" post sizes.

### **Textured Caps**









Not all fence is the same. Bufftech\* continues this long-standing tradition with its superior fence line, proudly made in the US. A. a building industry leader for over 100 years, CertainTeed stands behind the Bufftech line with the exceptional SureStart\*\* protection for performance, including labor, lifetime limited warranty, and Colort.ast\* fade protection for colors and stain blends.







'Buffech extr

Not all fence product warranties are the same. For example, many fence manufacturers offer a limited lifetime warranty but do not cover labor costs to remove and replace a defective fence. By selecting Bufftech' fence, you will gain peace of mind knowing that you and your home are protected for a lifetime.

	CERTAINTEED BUFFTECH FENCE*	Fence Competitor	Wood Fence Competitor
Length Warranty	LIFETIME	Lifetime	12 years
Color Fade Warranty	YES	None	None
Transferrable Warranty	YES"	No	No
Labor Warranty	YES**	No	No

"Refer to the Bufftech L
""Bufftech extruded on



# **Specifications & Color Availability**

		Fence Type	Reight	Racking	Post Size	Section Width	Picket Size	Picket Spacing	Code	Metal Rail/Fanel Reinforcement		
	Allegheny*	Molded	4,6	Depthy Destroyed	5"15"	72", 96"	N/A	N/A	<u>.c 0 4</u>	Top, Bottom		
	Sherwood	Molded	4,6	Statement of the last of the l	5"15"	72", 96"	N/A	N/A	•	Top, Bottom		
	Brookline Smooth	Extruded	4,5;6	Statement of the last of the l	5"15"	72"	1/8" x 7" Tongue & Groove	N/A	.60	Bottom**		
	Brookline CertaGrain*	Extruded	4,5,6	Separate Sep	5"15"	72"	1/8" x 7" Tongue & Groove	N/A	.60	Bottom**		
Privacy	Galveston Smooth	Extruded	7,8	9**	5"15"	96"	1/8" x 7" Tongue & Groove	NA 💠		Top, Middle, Bottom		
ď	Galveston CertaGrain*	Extruded	7,8	9*	5"15"	96"	1/8" x 7" Tongue & Groove	N/A	4	Top, Middle, Bottom		
	Chesterfield Smooth	Extruded	4,5,6	10	5"15"	96"	1/8" x 7" Tongue & Groove	N/A	.€ <b>0</b> 4	Bottom"		
	Chesterfield CertaGrain*	Extruded	4,5;6	и	5"15"	96"	1/8" x 7" Tongue & Groove	N/A	.604	Bottom"		
	New Lexington	Extruded	4,5;6	7.	5" 115"	96"	5/8" x 10-3/8" Tongue & Groose	N/A		Bottom		
	Breezewood Select Cedar	Extruded	4,5;6	Septing Septimental	5"15"	96"	3/8"x3"	21/52*	.60	Bottom"		
9	Imperial Smooth	Extruded	# 5.6	10"	5'15'	96"	3(8" x 3"	106,		Bottom**		
-Pri	Imperial Select Cedar	Extruded	4 5.6	10°	5'15'	96"	1/8" x 3"	1/16"	.60	Bottom"		
Semi-Private	Columbia	Extruded	6	9	5"15"	96"	1/8" x 6" Ribbod	4400 .60		Bottom (Aluminum)		
	Millbrook	Extruded	5,6	9"	5"15"	96"	1/8" x 6" Ribbod	1916.		Bottom		
	Baron Smooth	Extruded	4 5.6	10°	4"14" 5"15"	96"	18"x3"	2/5/6"	0	Bottom**		
Š	Baron Select Cedar	Extruded	4 5.6	10°	5'15'	96"	1/8"x3"	2/5/6"	0	Bottom**		
Contemporary	Princeton	Extruded	5,6 4 5.6	10"	5" 15"	96"	18°x142°	184"	0	Bottom		
nter	Countess	Extruded	4	9° 10°	5"15"	96"	78°x14/2°	2,500'		Action		
8	Countess	Extruore	5',€	91	5" 15"	36.	3/8" x 3"	1.5%	٠	sotion		
	Victorian	Extruded	4 5,6	10°	5"15"	96"	3/8" x 1-1/2"	3-5/8"		Bottom		
Classic	Manchester	Extruded	3,4	9"	5" 115"	96"	1-1/2" x 1-1/2"	1406		Bottom		
	Danbury Smooth	Extruded	e.	9'	ese	96"	3/8" x 3"	215/8"		Bottom		
lenoi	Danbury Select Cedar	Extruded	£	9'	5"15"	96"	3/8" x 3"	215/16"		Bottom		
Traditional	Rothbury	Extruded	£	9"	414	96"	3/8" x 3"	2-15/16"		Bottom		
-	Cape Cod	Extruded	3,4	15"	ese	72"	3/8" x 3"	2-1/16"		Stone		
Rail	Post & Rail Smooth	Extruded	3,4,5	9'	5"15"	96"	N/A	N/A		Sone		
త	Post & Rail CertaGrain*	Extruded	3,4,5	9'	5" 115"	96" White 72" Bland Colors	N/A	N/A		Nane		
Post	Crossbuck	Extruded	£	9"	5"15"	96"	N/A	N/A		Sone		

					Nenc		2			ē		2					Gran	٤		ray		
				Clay	P	Blen	98	Blend	Blend	an Ble	Blend	Gran	Granit	ranite	Sranit		rown	ě	da.	keto	ă	le da
Rais	White	Alm ond	Grey	Natural Clay	Weathered Blend	Timber Blend	Frontier Blend	Arbor Blend	Arctic Blend	Brazilian Blend	Sierra Blend	<b>Brown Granite</b>	Beige Granite	Gray Granite	Black Granite		Dark Brown Gran	Walnut Brown	Red Cedar	Nantucket Gray	Black Oak	Gold Cedar
Ann	Ĺ	Ì	Ť	Ť	ŕ	Ť	Ť	Ì	Ť	_	-	Ē	•	•	•	т	•	ŕ	Ō	Ť	Ē	Ň
	i											Г		Т	t	Ť	1	•	•	•	•	•
2"x6"Decax?"	•	•		•									_	_	_	_	_					٦
2" x 6" Channeled x 71"		Г	П		•	Г	Г		•	•	•											
2" x 6" Deca x 95" (Top/Battom) 2" x 6" x 95" (Mdcail)	•	•			Г																	1
2" x 6" Channeled x 95" (Top/Bottom) 2" x 6" x 95" (Mdrail)		Г		•	•		•	•	•	•	•											1
2" x 6" Deca x 95"	•	•	•	•	Г		Г		П													- 1
2" x 6" Channeled x 95"	•	•		•	•	•	•	•	•	•	•											
1-1/2" x 5-1/2" Deco x 95"	•	•			Г		Г															
2"x6"x95"	•	•	П	•	•	Г	Г		•	•	•											-
1-84" x 3-1(2" x 95-1(2"	•	•		•	Г																	-
1-84" x 3-1/2" x 95-1/2"	•	•		•	•	•	•	•	•	•	•											
3-1/2" x 3-1/2" x 54"	•	Г			Г																	
2"x 6" x 94-1/2" (Top(Bottom) 1-3/4" x 3-1/2" x 94-1/2" (Metrall)	•																					-
1-94" x 3-1/2" x 95-1/2"	•	•		•	Г																	-
1-94" x 3-1/2" x 95-1/2"	•	•		•	•	•	•	•	•	•	•											-
1-3/4" x 3-1/2" x 95-1/2"	•	•			Г		Г															-
1-94" x 3-1/2" x 95-1/2"	•	•			П																	
1-94" x 3-1/2" x 95-1/2"	•	•																				-
2" x 5" x 94-1/2" (Bottom) 2" x 3-1/2" x 95" (Tag)	•	•			Г																	
1-84" x 3-1/2" x 95-1/2"	•	•		•	Г	Г	Г															
1-34" x 3-1/2" x 16-1/2"	•	•		•	•			٠	•		•											
1-50° x 3-1/2° x 95-1/2°	•	•																				
1-8/4" x3-1/2" x71-1/2"	•																					
1-1/2" x 5-1/2" Ribbed or 2" x 6" Ribbed	•	•																				-
1-1/2" x 5-1/2" Ribbed (white) or 2" x 6" Ribbed (bland colors)	•				•				•	•	•											
1-1/2" x 5-1/2" Ribbed	•											L										╛

# **Colors and Textures** Molded





### **Colors and Textures** Extruded

#### Smooth



#### Select Cedar



#### CertaGrain\*



# Make a Smart Investment

PERFORMANCE FEATURES	Bufftech
Lifetime limited warranty	~
Transferable warranty*	~
5-year labor warranty*	~
Dark color fade warranty	~
Made in the USA	~
Never needs painting or staining	~
Won't chip, peel, crack or splinter	~
Won't rot or support mold growth	~
Impervious to termites/wood-boring insects	V
Lead free	V
No harmful chemicals	V
High-quality raw materials	V
Concealed fasteners	V
Rigid design	V
Wide choice of colors	V
Innovative textures	V
Steel reinforced rails	V
Class A rating for flame spread*	V
Self-extinguishing	~
Easy to assemble	~
Building code compliant	~
Meets ASTM standards	~
"Bufftech extruded only	









CEILINGS - DECKING - FENCE - GYPSUM - INSULATION - RAILING - ROOFING - SIDING - TRIM 20 Moores Road Malvern, PA 19355 Professional: 800-233-8990 Consumer: 800-782-8777 certainteed.com